



Shenzhen Temchy Health Co., Ltd.

Product introduction



Shenzhen Temchy Health Co., Ltd

Shenzhen Temchy Health Co., Ltd is a comprehensive medical device company, integrating R&D, manufacturing, sales and service, focusing on providing you with complete medical solutions. The company's pulse oximeter, oxygen concentrator, digital thermometer, forehead thermometer, sphygmomanometer and other medical equipment products are exported to Europe, South America, Africa, Southeast Asia and other countries.

The company has established strict internal quality control system standards in accordance with national quality standards, and has passed ISO13485:2016. At the same time, some products have obtained FDA, CE and other certificates, which means that the products can be sold safely in any country. we believe that the trust and satisfaction of customers is the driving force for us to move forward!



Contact Information

Shenzhen Temchy Health Co.,Ltd

ADD: Building B, Sunshine Technology Innovation Center, Nanxin Road, Nanshan Street, Nanshan District, Shenzhen City, Guangdong Province

wechat/whatsapp : +8613428797821

website: www.temchy.cn

Mobile:+86 13428797821

E-Mail: sales@temchy.cn

Shenzhen Temchy Health Co., Ltd

FINGERTIP PULSE OXIMETER



model	TMC-01
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	4.6*2.7*2.8cm
Package size	7.7*5.5*3.7cm
Single net weight gross weight	0.019KG/0.04KG
Outer box size	40*30.5*29cm (200PCS)
Net weight	8KG
Gross weight	8.34KG
Display method power consumption	led/ less than 50mA
Power supply mode	plug-in

FINGERTIP PULSE OXIMETER



model	TMC-01
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	4.6*2.7*2.8cm
Package size	7.7*5.5*3.7cm
Single net weight gross weight	0.019KG/0.04KG
Outer box size	40*30.5*29cm (200PCS)
Net weight	8KG
Gross weight	8.34KG
Display method power consumption	led four-colour/ less than 50mA
Power supply mode	plug-in

FINGERTIP PULSE OXIMETER



model	TMC-01
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	4.6*2.7*2.8cm
Package size	7.7*5.5*3.7cm
Single net weight gross weight	0.019KG/0.04KG
Outer box size	40*30.5*29cm (200PCS)
Net weight	8KG
Gross weight	8.34KG
Display method power consumption	TFT less than 50mA
Power supply mode	plug-in

FINGERTIP PULSE OXIMETER



model	TMC-01
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	4.6*2.7*2.8cm
Package size	7.7*5.5*3.7cm
Single net weight gross weight	0.019KG/0.04KG
Outer box size	40*30.5*29cm (200PCS)
Net weight	8KG
Gross weight	8.34KG
Display method power consumption	OLED less than 50mA
Power supply mode	plug-in

FINGERTIP PULSE OXIMETER



model	TMC-02
Temperature measurement accuracy	Within $80\% \pm 2\% \sim 99\%, \pm 3\%$ in $70\% \sim 79\%, \leq 70\%$, There is no definition of accuracy. Blood oxygen saturation was $\pm 1\%$.
Temperature measurement time	About 8 seconds
Product size	4.6*2.7*2.8cm
Package size	7.7*5.5*3.7cm
Single net weight gross weight	0.019KG/0.04KG
Outer box size	40*30.5*29cm (200PCS)
Net weight	8KG
Gross weight	8.34KG
Display method power consumption	TFT / less than 50mA
Power supply mode	plug-in

FINGERTIP PULSE OXIMETER



model	TMC-03
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	5.8*3.2*3.5cm
Package size	8.8*5.8*4.0cm
Single net weight gross weight	0.03KG/0.046KG
Outer box size	38*21.5*32cm (100PCS)
Net weight	2.6KG
Gross weight	5.2KG
Display method power consumption	TFT / less than 50mA
Power supply mode	AAA alkaline battery x2

FINGERTIP PULSE OXIMETER



model	TMC-04
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	5.8*3.3*3.6cm
Package size	8.8*5.8*4.0cm
Single net weight gross weight	0.029KG/0.046KG
Outer box size	38*21.5*32cm (100PCS)
Net weight	2.6KG
Gross weight	5.2KG
Display method power consumption	TFT / less than 50mA
Power supply mode	AAA alkaline battery x2

FINGERTIP PULSE OXIMETER



model	TMC-05
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	5.8*3.1*3.5cm
Package size	8.8*5.8*4.0cm
Single net weight gross weight	0.0329KG/0.05KG
Outer box size	38*21.5*32cm (100PCS)
Net weight	4.7KG
Gross weight	5.2KG
Display method power consumption	TFT / less than 50mA
Power supply mode	AAA alkaline battery x2

FINGERTIP PULSE OXIMETER



model	TMC-07
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	5.8*3.1*3.5cm
Package size	8.8*5.8*4.0cm
Single net weight gross weight	0.0329KG/0.05KG
Outer box size	38*21.5*32cm (100PCS)
Net weight	2.6KG
Gross weight	5.2KG
Display method power consumption	TFT less than 50mA
Power supply mode	AAA alkaline battery x2

FINGERTIP PULSE OXIMETER

Two kinds of display



3-color display



4-color display

model	TMC-08
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	5.8*3.1*3.5cm
Package size	8.8*5.8*4.0cm
Single net weight gross weight	0.0329KG/0.05KG
Outer box size	38*21.5*32cm (100PCS)
Net weight	2.6KG
Gross weight	5.2KG
Display method power consumption	TFT / less than 50mA
Power supply mode	AAA alkaline battery x2

FINGERTIP PULSE OXIMETER



model	TMC-09
Temperature measurement accuracy	Within 80% \pm 2% ~ 99%, \pm 3% in 70% ~ 79%, \leq 70%, There is no definition of accuracy. Blood oxygen saturation was \pm 1%.
Temperature measurement time	About 8 seconds
Product size	5.8*3.1*3.5cm
Package size	8.8*5.8*4.0cm
Single net weight gross weight	0.0329KG/0.05KG
Outer box size	38*21.5*32cm (100PCS)
Net weight	2.6KG
Gross weight	5.2KG
Display method power consumption	TFT/ less than 50mA
Power supply mode	AAA alkaline battery x2

FINGERTIP PULSE OXIMETER



Multiple display directions

For easy reading

model	TMC-10
Blood oxygen gun and degree	Display range :0%~100%; Measuring range :70%~100%
accuracy	When the measurement range of blood oxygen saturation is 70%~100%, the allowable absolute error is 2%. Less than 70% is undefined.
Product size	6.4*3.5*2.9cm
Package size	8.8*5.8*4.0cm
Single net weight gross weight	0.028KG/0.043KG
Outer box size	38*21.5*32cm(100PCS)
Net weight	2.8KG
Gross weight	4.8KG
Display method power consumption	TFT/DC 3V
Power supply mode	AAA Alkaline battery x2

IR-THERMOMETER



model	TMC-FT16
Power supply voltage	DC-3V (two AAA alkaline batteries -self purchased)
measurcment range	Body temperature pattern : 34-42.9°C Surface temperature mode : 0-100.0°C
Measuring distance	1.5-5cm
measurement aocuracy	34.0-34.9°C: +0.3°C
memory	memory function 50 groups
N.W.	80g (Battlery free)
Product size	450*235*335mm 100pcs
Tricolor backlight	Surface temperature mode: GreenTemperature mode 34.0 - 37.3°C: Green37.4-38.0°C (Set value-0.1°C) Yellow38.1 (Set value) -42.9°C : Red
Storage andtransportation	-20-55°C , relative humidity : ≤93% Atmospheric pressure : 70kpa-106kpa
work environment	ambient temperature : 16-35°C relative humidity : ≤85%

DIGITAL THERMOMETER



model	TMC-TW301
The scope of precision	32C-42.9°C(90.0°F-109.9°F) ±0.1°C 35.5°C-42.0°C (10.2°F 95.9°F-107.6°F) ±0.2°C 35.5°C The following 42.0°CThe above (±0.4°F-95.5°FThe following)
Product size	3*1.5*1cm
Packing size	13.5*17*12cm
Single net weight gross weight	0.0097KG/0.0169KG
Carton size	54.5X29x29.5cm (500PCS)
The net weight	9.5KG
Gross weight	8.5KG
Display method	LCD Digital display
The power supply	A battery the size of a 1.55V button (LR41 the ucc392)

PORTABLE FETAL DOPPLER



model	TMC FD501
Temperature	5°C - 40°C
Humidity	15 -85%RH, non-condensing
Product size	12.9*91*34cm
Packing size	17.7x12x6cm
Single net weight/gross weight	0.257KG/0.270KG
Carton size	48*31.5*24cm(30PCS)
The net weight	7.71kg
Gross weight	8.24kg
Atmos pheric pressure	86kPa ~106kPa
The power supply	DC3V(2xAA)alkaline batteries or DC 3.7V lithium battery

PORTABLE FETAL DOPPLER



model	TMC FD802
Temperature	5°C - 40°C
Humidity	15 -85%RH, non-condensing
Product size	12.9*91*34cm
Packing size	17.7x12x6cm
Single net weight/gross weight	0.257KG/0.270KG
Carton size	48*31.5*24cm(30PCS)
The net weight	7.71kg
Gross weight	8.24kg
Atmos pheric pressure	86kPa ~106kPa
The power supply	DC3V(2xAA)alkaline batteries or DC 3.7V lithium battery

SPHYGMOMANOMETER



model	TMC-B02
Temperature measurement range	Blood pressure: 0-280mmHg (0-37.3kpa) Heart rate: 40-199Times/min
Temperature measurement accuracy	Pressure: within 15°C~25°C soil 3mmHg (soil 0.4kPa) , 5°C-40°C (beyond 15°C-25°C) Heart rate (pulse rate) per 6mmHg (soil within 0.8kPa) : ±5%
Product size	11.6*9.6*5.9cm
Packing size	16*11*10cm
Single net weight/gross weight	0.33KG/0.41KG
Carton size	51.7*35*34 (30PCS)
The net weight	9.9KG
Gross weight	13KG
Display method	LCD Digital display
The power supply	The DC6V4 No. 7 dry battery/power adapter (AC220V/50HZ) should be purchased by yourself

SPHYGMOMANOMETER



model	TMC-BP102
Temperature measurement range	Blood pressure: 0-280mmHg (0-37.3kpa) Heart rate: 40-199Times/min
Temperature measurement accuracy	Pressure: within 15°C~25°C soil 3mmHg (soil 0.4kPa) , 5°C-40°C (beyond 15°C-25°C) Heart rate (pulse rate) per 6mmHg (soil within 0.8kPa) : ±5%
Product size	11.6*9.6*5.9cm
Packing size	16*11*10cm
Single net weight/gross weight	0.33KG/0.41KG
Carton size	13.8*11.5*7cm
The net weight	9.9KG
Gross weight	13KG
Display Size	4.1 inches digital LCD display
The power supply	The DC6V4 No. 7 dry battery/power adapter (AC220V/50HZ) should be purchased by yourself

SPHYGMOMANOMETER



model	TMC-B105
Temperature measurement range	Blood pressure: 0-280mmHg (0-37.3kpa) Heart rate: 40-199Times/min
Temperature measurement accuracy	Pressure: within 15°C~25°C soil 3mmHg (soil 0.4kPa) , 5°C-40°C (beyond 15°C-25°C) Heart rate (pulse rate) per 6mmHg (soil within 0.8kPa) :±5%
Product size	11.6*9.6*5.9cm
Packing size	16*11*10cm
Single net weight/gross weight	0.33KG/0.41KG
Carton size	51.7*35*34 (30PCS)
The net weight	9.9KG
Gross weight	13KG
Display method	LCD Digital display
The power supply	The DC6V4 No. 7 dry battery/power adapter (AC220V/50HZ) should be purchased by yourself

HANDHELD PORTABLE NEBULIZER



model	TMC-WH08
Medication cup capacity	10ml
Atomization rate	≥0.2ml/min
Product size	12.1*6*4.2cm (Does not contain a mask)
Packing size	15*11.3*5.6cm
Single net/gross weight	0.160KG/0.197KG
Carton size	48*47*24cm(30PCS)
The net weight	4.803KG
Gross weight	5.919KG
level	IPX3
The power supply	3V DC (2x AA 1.5V protective)

HANDHELD PORTABLE NEBULIZER



model	TMC-WH09
Medication cup capacity	8ml
Atomization rate	$\geq 0.5\text{ml/min}$
Product size	3.5*6*11.5cm (Does not contain a mask)
Packing size	15*11.3*5.6cm
Single net/gross weight	0.077KG/0.165KG
Carton size	59.5*30.5*33cm(50PCS)
The net weight	8.25KG
Gross weight	9.25KG
humidity	40%-93%RH
The power supply	DC3.7 V

COMPRESSOR NEBULIZER




model	TMC-WH01
Medication cup capacity	1ml
Atomization rate	$\geq 0.2\text{ml/min}$
Product size	20.5*10.5*15.5cm (Does not contain a mask)
Packing size	28.5*34.4*21.5cm
Single net/gross weight	1.298KG/ 1.620kg
Carton size	58*30*45cm(8PCS)
The net weight	15.5KG
Gross weight	16.5KG
humidity	5°C~35°C
The power supply	< 250VA

COMPRESSOR NEBULIZER



model	TMC-WH02
Medication cup capacity	1.2ml
Atomization rate	≥0.2ml/min
Product size	17.5*17.5*10cm (Does not contain a mask)
Packing size	27.7x13.2x20.5cm
Single net/gross weight	1.635KG/1.935KG
Carton size	58*30*45cm(8PCS)
The net weight	15.5KG
Gross weight	17.5KG
humidity	5°C~35°C
The power supply	< 250VA

OXYGEN CONCENTRATOR



- Original USA /Europ Medical molecular sieve
- Real stable medical grade *Oxygen purity Over 90%

model	TMC-ZY01
Demand for electricity	250VA
Power consumption	220 - 50 Hz/110V - 60Hz
Ambient temperature range	5°C- 40°C
Atmospheric pressure range	86 kpa —106 kpa
Product size	35*40*66cm
Packing size	45.6*42.5*70.3cm
Single net weight/gross weight	25KG/26KG
Flow range	1-10L
Outlet pressure	20~70kPa
Oxygen flow	10L/Minutes of the adjustable
Rated power	≤650W
Oxygen concentration	≥96% (V/V)(10L/min)
Rated current	≤65dBA

OXYGEN CONCENTRATOR



model	TMC-ZY02
Demand for electricity	110VA-220VA
Power consumption	≤30VA
Ambient temperature range	5°C- 40°C
Atmospheric pressure range	86 kpa —106 kpa
Product size	37*21*35cm
Packing size	44.5*29.5*43cm
Single net weight/gross weight	7.2KG/8.5KG
Flow range	1-8L
Outlet pressure	(30-45kPa) ±10%
Oxygen flow	1L/Minutes of the adjustable
Rated power	130W
Oxygen concentration	93+3%High
Rated current	2A

OUR ADVANTAGES:

-  Professional registration team
-  Independent innovation R & D team
-  National High-tech Enterprise Certification
-  Good aftersale service
-  Professional quality control
-  Factory direct sale
-  OEM/ODM service available
-  Low MOQ
-  Quick reply
-  Short lead time

THANK YOU